

0025068 Chromium, Urine

CR-U

Performed: Sun-Sat
Reported: 1-3 days

Specimen Required: Patient Prep: Diet, medication, and nutritional supplements may introduce interfering substances. Patients should be encouraged to discontinue nutritional supplements, vitamins, minerals, and non-essential over-the-counter medications (upon the advice of their physician). High concentrations of iodine may interfere with elemental testing. **Collection of urine specimens from patients receiving iodinated or gadolinium-based contrast media should be avoided for a minimum of 72 hours post-exposure. Collection from patients with impaired kidney function should be avoided for a minimum of 14 days post contrast media exposure.**
Collect: 24-hour or random urine collection. Specimen must be collected in a plastic container. **ARUP studies indicate that refrigeration of urine alone, during and after collection, preserves specimens adequately, if tested within 14 days of collection.**
Specimen Preparation: Transfer an 8 mL aliquot from a well-mixed collection to ARUP Trace Element-Free Transport Tubes (ARUP supply #43116) available online through eSupply using ARUP Connect™ or contact ARUP Client Services at (800) 522-2787. (Min: 1 mL)
Storage/Transport Temperature: Refrigerated. Also acceptable: Room temperature or frozen.
Remarks: Record total volume and collection time interval on transport tube and on test request form.
Unacceptable Conditions: **Urine collected within 72 hours after administration of iodinated or gadolinium-based contrast media.** Acid preserved urine. Specimens contaminated with blood or fecal material. Specimens transported in non-trace element-free transport tube (with the exception of the original device).
Stability (collection to initiation of testing): Ambient: 1 week; Refrigerated: 2 weeks; Frozen: 1 year

Reference Interval:
 Effective May 21, 2018

Test Number	Components	Reference Interval		
	Chromium, Urine - per volume	0.0-2.0 µg/L		
	Chromium, Urine - per 24h	0.0-2.0 µg/d		
	Chromium, urine - ratio to CRT	0.0-10.0 (µg/g crt)		
0020473	Creatinine, Urine - per 24h	Age	Male	Female
		3-8 years	140-700 mg/d	140-700 mg/d
		9-12 years	300-1300 mg/d	300-1300 mg/d
		13-17 years	500-2300 mg/d	400-1600 mg/d
		18-50 years	1000-2500 mg/d	700-1600 mg/d
		51-80 years	800-2100 mg/d	500-1400 mg/d
		81 years and older	600-2000 mg/d	400-1300 mg/d