

New Test **3000477** **Hypersensitivity Pneumonitis Panel** **HYPER PAN**
 Available Now

Methodology: Qualitative Immunodiffusion
Performed: Sun-Sat
Reported: 3-5 days

Specimen Required: Collect: Serum separator tube.
Specimen Preparation: Separate serum from cells ASAP or within 2 hours of collection. Transfer 1 mL serum to an ARUP Standard Transport Tube. (Min: 0.15 mL)
Storage/Transport Temperature: Refrigerated.
Unacceptable Conditions: Plasma.
Stability (collection to initiation of testing): After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 year (avoid repeated freeze/thaw cycles)

Reference Interval:

Test Number	Components	Reference Interval
	<i>A. fumigatus</i> #1 Ab, Precipitin	None detected
	<i>A. fumigatus</i> #6 Ab, Precipitin	None detected
	<i>A. pullulans</i> Ab, Precipitin	None detected
	Pigeon Serum, Ab, Precipitin	None detected
	<i>M. faeni</i> Ab, Precipitin	None detected
	<i>T. vulgaris</i> #1 Ab Precipitin	None detected
	<i>A. flavus</i> Ab, Precipitin	None detected
	<i>A. fumigatus</i> #2 Ab, Precipitin	None detected
	<i>A. fumigatus</i> #3 Ab, Precipitin	None detected
	<i>S. viridis</i> Ab, Precipitin	None detected
	<i>T. candidus</i> Ab, Precipitin	None detected
	<i>T. sacchari</i> Ab, Precipitin	None detected

Note: Testing includes antibodies directed at *Aspergillus fumigatus* #1, *Aspergillus fumigatus* #6, *Aureobasidium pullulans*, *Pigeon Serum*, *Micropolyspora faeni*, *Thermoactinomyces vulgaris* #1, *Aspergillus flavus*, *Aspergillus fumigatus* #2, *Aspergillus fumigatus* #3, *Saccharomonospora viridis*, *Thermoactinomyces candidus* and *Thermoactinomyces sacchari*.

CPT Code(s): 86331 x7; 86606 x5

New York DOH Approved.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.