

Chromosome Analysis, Products of Conception

Patient:	Client:	ARUP Test Code: 2002288
DOB: Age: Gender:		
Patient Identifiers:		Collection Date: 11/08/2016
	Physician:	Received in lab: 11/10/2016
Visit Number (FIN):		Completion Date: 12/01/2016

Interpretation

Specimen received

Specimen type: Placental Tissue (Villi)
Reason for referral: Incomplete Miscarriage
Test performed: Chromosome Analysis

Laboratory analysis

Number of cells counted: 20 Number of cells analyzed: 5 Number of cells karyotyped: 5 ISCN Band level: 400

Banding Method: G-Banding

Chromosome results: 45,X

Diagnostic Impression:

Metaphase cells analyzed contained a normal autosomal chromosome complement, one X chromosome and no other sex chromosome. The 45,X karyotype (monosomy X) is a common sporadic cytogenetic abnormality in pregnancy loss. 99% of conceptions with a 45,X karyotype result in spontaneous pregnancy loss.

Recommendations: Genetic counseling.

This result has been reviewed and approved by Ph.D., FACMG Electronic Signature

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS










Patient:

ARUP Accession: 16-314-401054

Patient: Patient Identifiers: Date of Birth:

| Gender: | Physician: | Visit Number (FIN):

Slide ID:















































Υ

ğ







Patient:

ARUP Accession: 16-314-401054