

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/22/1965
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Lactic Acid, Plasma

ARUP test code 0020045

Lactic Acid, Plasma

2.0 mmol/L (Ref Interval: .5-2.2)

INTERPRETIVE INFORMATION: Lactic Acid, Plasma
Lactic acid results may be falsely decreased with N-acetylcysteine (NAC) treatment. NAC interference causes a decrease of 3% at 80 mg/L NAC, approximately 20% at 800 mg/L NAC and approximately 50% at 1600 mg/L NAC.
Performed At: HUNTSMAN LAB
1950 CIRCLE OF HOPE
SALT LAKE CITY, UT 84112
Medical Director: [REDACTED]
CLIA Number: 46D2164743

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Lactic Acid, Plasma	24-304-700841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical