

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/18/1957
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hepatitis B Virus Surface Antibody

ARUP test code 0020090

Hepatitis B Surface Antibody <3.10 IU/L

The anti-HBs is less than 10 IU/L and is therefore negative. There is no evidence of recovery from hepatitis B infection or evidence of antibody response to HBV vaccination.

An anti-HBs result greater than or equal to 10 IU/L implies immunity. For post-vaccination antibody testing guidelines for the general public refer to MMWR December 23, 2005/Vol. 54(No. 16);1-23, and for healthcare workers refer to MMWR December 20, 2013/Vol. 62(No. 10);1-19.

Reference Interval: anti-HBs
9.99 IU/L or less Negative
10.00 IU/L or greater Positive
Results greater than 1,000.00 IU/L are reported as greater than 1,000.00 IU/L.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Antibody	21-051-102021	2/20/2021 4:11:00 AM	2/22/2021 12:50:00 PM	2/22/2021 4:23:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-051-102021
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/30/2022 7:45:17 AM