

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/25/1983
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Zinc, Serum or Plasma

ARUP test code 0020097

Zinc, Serum/Plasma

70.4 ug/dL (Ref Interval: 60.0-120.0)

INTERPRETIVE INFORMATION: Zinc, Serum or Plasma

Elevated results may be due to skin or collection-related contamination, including the use of a noncertified metal-free collection/transport tube. If contamination concerns exist due to elevated levels of serum/plasma zinc, confirmation with a second specimen collected in a certified metal-free tube is recommended.

Circulating zinc concentrations are dependent on albumin status and are depressed with malnutrition. Zinc may also be lowered with infection, inflammation, stress, oral contraceptives, and pregnancy. Zinc may be elevated with zinc supplementation or fasting. Elevated zinc concentrations may interfere with copper absorption.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Zinc, Serum/Plasma	21-125-132014	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: