

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/29/1947
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hepatitis B Virus Surface Antigen, Confirmation

ARUP test code 0020128

Hepatitis B Surface Antigen Confirmation

Non Confirmed (Ref Interval: Non Confirmed)
Hepatitis B surface antigen (HBsAg) failed to neutralize using anti-HBs. This specimen is therefore **NEGATIVE** for HBsAg.

INTERPRETIVE INFORMATION: Hepatitis B Surface Ag Confirmation
This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Antigen Confirmation	20-057-133453	2/26/2020 5:14:00 AM	2/28/2020 5:39:06 AM	2/28/2020 3:14:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: