

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/15/1958
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis B Virus Surface Antigen, Confirmation

ARUP test code 0020128

Hepatitis B Surface Antigen Confirmation

Non Confirmed (Ref Interval: Non Confirmed)
Hepatitis B surface antigen (HBsAg) failed to neutralize using anti-HBs. This specimen is therefore NEGATIVE for HBsAg.

INTERPRETIVE INFORMATION: Hepatitis B Surface Ag Confirmation
This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

| VERIFIED/REPORTED DATES | | | | |
|--|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Hepatitis B Surface Antigen Confirmation | 24-070-102165 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical