

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/21/1957
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hepatitis B Virus Surface Antigen, Confirmation

ARUP test code 0020128

Hepatitis B Surface Antigen Confirmation

Positive * (Ref Interval: Non Confirmed)

Hepatitis B surface antigen (HBsAg) did neutralize using anti-HBs. This specimen is therefore POSITIVE for HBsAg. False positives can occur. If the result is not supported by clinical evidence, repeat testing of a new sample usually helps clarify the diagnosis.

INTERPRETIVE INFORMATION: Hepatitis B Surface Ag Confirmation

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Antigen Confirmation	20-057-122642	2/26/2020 10:48:00 AM	2/28/2020 2:09:02 AM	2/28/2020 3:14:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-057-122642
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/7/2020 10:51:53 AM
4848