

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example  
DOB5/8/1955  
Gender:Male  
Patient Identifiers:01234567890ABCD, 012345  
Visit Number (FIN):01234567890ABCD  
Collection Date:00/00/0000 00:00

Sodium, Fluid  
ARUP test code 0020154

Sodium, Body Fluid	143 mmol/L INTERPRETIVE INFORMATION: Sodium, Body Fluid  For information on body fluid reference ranges and/or interpretive guidance visit <a href="http://aruplab.com/bodyfluids/">http://aruplab.com/bodyfluids/</a>  This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Sodium Fluid Source	Pericardial fl

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Sodium, Body Fluid	23-259-401298	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Sodium Fluid Source	23-259-401298	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical