

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/15/1947
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Urea Nitrogen, Fluid

ARUP test code 0020183

SR Source

Peritoneal fluid

Performed At: U HOSPITAL LAB (ARUP)
UNIVERSITY HOSPITAL
CLINICAL LABORATORY
SALT LAKE CITY, UT 84132
Medical Director: LAUREN NICHOLE PEARSON, MD
CLIA Number: 46D0678613

Urea Nitrogen, Body Fluid

46 mg/dL

INTERPRETIVE INFORMATION: Urea Nitrogen, Fluid
Reference ranges for this assay have not been established for body fluid. Results should be interpreted in comparison to the concentration in blood and in conjunction with clinical context.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed At: U HOSPITAL LAB (ARUP)
UNIVERSITY HOSPITAL
CLINICAL LABORATORY
SALT LAKE CITY, UT 84132
Medical Director: LAUREN NICHOLE PEARSON, MD
CLIA Number: 46D0678613

INTERPRETIVE INFORMATION: Urea Nitrogen, Fluid

Reference ranges for this assay have not been established for body fluid. Results should be interpreted in comparison to the concentration in blood and in conjunction with clinical context.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
SR Source	22-087-704611	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Urea Nitrogen, Body Fluid	22-087-704611	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-087-704611
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 9/21/2022 5:47:05 PM
4848