

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 11/28/1997  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Myoglobin, Urine**

ARUP test code 0020223

Myoglobin Urine

**5 mg/L H (Ref Interval: 0-1)**

The pH of this sample is 6. Urine for myoglobin should have the pH adjusted to between 8.0 - 9.0, as myoglobin is unstable in urine. Results may not reflect the true status of the patient.

**INTERPRETIVE INFORMATION: Myoglobin, Urine**

Patients with urine myoglobin greater than 15 mg/L are at risk of acute renal failure. Usual results are less than 1 mg/L. Results between 1 and 15 mg/L are associated with vigorous exercise, myocardial infarction, mild muscle injury and other conditions.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**VERIFIED/REPORTED DATES**

Procedure	Accession	Collected	Received	Verified/Reported
Myoglobin Urine	21-059-102940	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: