

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1974
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Myoglobin, Urine

ARUP test code 0020223

Myoglobin Urine

<1 mg/L

(Ref Interval: 0-1)

The pH of this sample is 6. Urine for myoglobin should have the pH adjusted to between 8.0 - 9.0, as myoglobin is unstable in urine. Results may not reflect the true status of the patient.

INTERPRETIVE INFORMATION: Myoglobin, Urine

Patients with urine myoglobin greater than 15 mg/L are at risk of acute renal failure. Usual results are less than 1 mg/L. Results between 1 and 15 mg/L are associated with vigorous exercise, myocardial infarction, mild muscle injury and other conditions.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Myoglobin Urine	23-086-401142	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical