

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/31/1985  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Basic Metabolic Panel**

ARUP test code 0020399

Sodium, Serum or Plasma	148 mmol/L	H	(Ref Interval: 136-145)
Potassium, Serum or Plasma	5.4 mmol/L	H	(Ref Interval: 3.3-5.0)
Chloride, Serum or Plasma	112 mmol/L	H	(Ref Interval: 98-107)
Carbon Dioxide, Serum or Plasma	32 mmol/L	H	(Ref Interval: 22-29)
Anion Gap	4 mmol/L	L	(Ref Interval: 7-15)
Urea Nitrogen, Serum or Plasma	4 mg/dL	L	(Ref Interval: 7-20)
Creatinine, Serum or Plasma	1.03 mg/dL	H	(Ref Interval: 0.59-1.01)
Glucose, Serum or Plasma	126 mg/dL		INTERPRETIVE DATA: Glucose, Plasma or Serum A normal fasting glucose concentration is less than 100 mg/dL. An impaired fasting glucose concentration is 100-125 mg/dL. A provisional diagnosis of diabetes mellitus can be made when a fasting glucose concentration is greater than 125 mg/dL.
Calcium, Serum or Plasma	7.5 mg/dL	L	(Ref Interval: 8.6-10.0)

H=High, L=Low, \*=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Sodium, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Potassium, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Chloride, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Carbon Dioxide, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Anion Gap	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Urea Nitrogen, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Glucose, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Calcium, Serum or Plasma	23-268-119742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-268-119742  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 9/25/2023 5:32:15 PM  
4848