

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 9/18/1928
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Human T-Lymphotropic Virus Types I/II Antibodies, Western Blot

ARUP test code 0020642

HTLV I/II Antibodies, Western Blot

Indeterminate * (Ref Interval: Negative)

HTLV-I/II Western Blot Pattern:
(Key: 0 = neg, * = weak pos, 1 = moderate pos, 2 = strong pos, 3 = very strong pos, X=non-specific staining obscuring possible bands in that region)

GD21 p19 p24 p26 p28 p32 p36 gp46 p53 rgp46-II rgp46-I
0 0 0 0 0 0 0 0 0 1 0

Interpretation: INCONCLUSIVE for HTLV antibodies, possibly infected.

While the western blot detected antibodies to HTLV antigens, the pattern is not diagnostic. This pattern is seen in early HTLV infection or in patients without HTLV infection. This patient should be considered possibly infected. If this is the first test, a confirmatory test should be repeated within two weeks. Patients with repeated indeterminate results greater than three months apart are unlikely to be infected.

INTERPRETIVE INFORMATION: HTLV I/II Ab, western Blot
This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HTLV I/II Antibodies, Western Blot	18-262-107758	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical