

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/8/1952
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Triglycerides, Fluid

ARUP test code 0020713

Triglycerides, Fluid

105 mg/dL

INTERPRETIVE INFORMATION: Triglycerides, Fluid

For information on body fluid reference ranges and/or interpretive guidance visit <http://aruplab.com/bodyfluids/>

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Triglycerides Fluid Source

Pleural fluid

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Triglycerides, Fluid	22-056-104965	2/25/2022 11:38:00 AM	2/27/2022 11:25:09 PM	2/28/2022 4:09:00 AM
Triglycerides Fluid Source	22-056-104965	2/25/2022 11:38:00 AM	2/27/2022 11:25:09 PM	2/28/2022 4:09:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-056-104965
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/13/2022 6:56:35 AM