

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 11/26/1962  
**Sex:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Cholesterol, Fluid**

ARUP test code 0020714

Cholesterol, Fluid	110 mg/dL
INTERPRETIVE INFORMATION: Cholesterol, Body Fluid	
For information on body fluid reference ranges and/or interpretive guidance visit <a href="http://aruplab.com/bodyfluids/">http://aruplab.com/bodyfluids/</a>	
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.	

Cholesterol Fluid Source	Pleural fluid
--------------------------	---------------

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Cholesterol, Fluid	22-116-110994	4/26/2022 9:00:00 AM	4/27/2022 9:12:25 AM	4/27/2022 7:33:00 PM
Cholesterol Fluid Source	22-116-110994	4/26/2022 9:00:00 AM	4/27/2022 9:12:25 AM	4/27/2022 7:33:00 PM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | [aruplab.com](http://aruplab.com)  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-116-110994  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 9/13/2022 6:56:37 AM