

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/12/1968
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Prolactin, Dilution Study

ARUP test code 0020724

Prolactin, Dilution Study **153.8 ng/mL H (Ref Interval: 2.8-29.2)**

Interpretive Information:
Pregnant 9.7- >200.0 ng/mL
Postmenopausal 1.8-20.3 ng/mL

Testing prolactin in patients with suspected prolactinoma during pregnancy is not recommended.

Dilution series does not indicate the presence of high-dose hook effects.

REFERENCE INTERVAL: Prolactin, Dilution Study

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Prolactin, Dilution Study	22-356-127869	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: