

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example  
DOB: 6/21/1955  
Gender: Male  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Collection Date: 00/00/0000 00:00

Cancer Antigen-GI (CA 19-9), Body Fluid  
ARUP test code 0020746

Cancer Antigen GI (CA 19-9), Body Fluid	<2 U/mL INTERPRETIVE INFORMATION: Cancer Antigen-GI (CA 19-9), Body Fluid  The Roche CA 19-9 electrochemiluminescent immunoassay was used. Results obtained with different test methods or kits cannot be used interchangeably. The CA 19-9 value, regardless of level, should not be interpreted as absolute evidence of the presence or absence of malignant disease.  For information on body fluid reference ranges and/or interpretive guidance visit <a href="http://aruplab.com/bodyfluids/">http://aruplab.com/bodyfluids/</a>  This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
---	---

Cancer Antigen-GI(CA19-9) Fluid Source      Peritoneal fl

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Cancer Antigen GI (CA 19-9), Body Fluid	23-024-400868	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cancer Antigen-GI(CA19-9) Fluid Source	23-024-400868	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical