

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 3/29/1991  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Thyroglobulin, Fine Needle Aspiration (FNA)**

ARUP test code 0020753

Thyroglobulin, Fine Needle Aspiration

8.2 ng/mL  
Left neck IV 1.4cm LN

INTERPRETIVE INFORMATION: Thyroglobulin, Fine Needle Aspiration

Thyroglobulin (Tg) is measured by the Beckman Coulter Access method. Results obtained with different assay methods or kits cannot be used interchangeably. The Tg result, regardless of concentration, should not be interpreted as absolute evidence for the presence or absence of papillary or follicular thyroid cancer.

Normal values are less than 10 ng/mL (Baloch ZW et al., CytoJournal 2008, 5:1).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure                             | Accession     | Collected        | Received         | Verified/Reported |
|---------------------------------------|---------------|------------------|------------------|-------------------|
| Thyroglobulin, Fine Needle Aspiration | 24-298-400723 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: