

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/13/1989
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Thyroglobulin, Fine Needle Aspiration (FNA)

ARUP test code 0020753

Thyroglobulin, Fine Needle Aspiration

<0.1 ng/mL
Cerv LN L

INTERPRETIVE INFORMATION: Thyroglobulin, Fine Needle Aspiration

Thyroglobulin (Tg) is measured by the Beckman Coulter Access method. Results obtained with different assay methods or kits cannot be used interchangeably. The Tg result, regardless of concentration, should not be interpreted as absolute evidence for the presence or absence of papillary or follicular thyroid cancer.

Normal values are less than 10 ng/mL (Baloch ZW et al., CytoJournal 2008, 5:1).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Thyroglobulin, Fine Needle Aspiration	22-297-110333	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: