

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/8/1985
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Macroprolactin

ARUP test code 0020765

Prolactin 8.1 ng/mL (Ref Interval: 2.8-29.2)

Interpretive Information:
Pregnant 9.7- >200.0 ng/mL
Postmenopausal 1.8-20.3 ng/mL

Testing prolactin in patients with suspected prolactinoma during pregnancy is not recommended.

REFERENCE INTERVAL: Prolactin

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Monomeric Prolactin Percent 29.6 % L (Ref Interval: >=50.1)

If the % prolactin, monomeric is 40-50%, the result is indeterminate for macroprolactin. If the % prolactin, monomeric is <40%, this indicates the presence of macroprolactin. A prolactin, monomeric result above the upper reference limit is consistent with hyperprolactinemia.

Prolactin, monomeric was determined by PEG precipitation. Macroprolactin is precipitated by PEG and is not measured.

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Monomeric Prolactin 2.4 ng/mL L (Ref Interval: 2.8-19.5)

INTERPRETIVE INFORMATION: Monomeric Prolactin

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Prolactin	23-221-126867	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Monomeric Prolactin Percent	23-221-126867	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Monomeric Prolactin	23-221-126867	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical