

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/4/1989
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Cobalt, Serum or Plasma

ARUP test code 0025037

Cobalt, Serum or Plasma

5.0 ug/L H (Ref Interval: <=1.0)

INTERPRETIVE INFORMATION: Cobalt, Serum or Plasma

Elevated results may be due to skin or collection-related contamination, including the use of a noncertified metal-free collection/transport tube. If contamination concerns exist due to elevated levels of serum/plasma cobalt, confirmation with a second specimen collected in a certified metal-free tube is recommended.

Serum cobalt levels can be used in the assessment of occupational exposure or toxic ingestion. Symptoms associated with cobalt toxicity vary based on route of exposure, and may include cardiomyopathy, allergic dermatitis, pulmonary fibrosis, cough, and dyspnea.

Serum cobalt levels can be significantly higher in patients with metal-on-metal total hip replacement implants than in control patients without metal implants. Serum cobalt levels may be increased in asymptomatic patients with metal-on-metal prosthetics and should be considered in the context of the overall clinical scenario. Whole blood is the specimen type recommended by the U.S. Food and Drug Administration for assessing the risks of metal-on-metal hip implants in symptomatic patients.

See Compliance Statement B: www.aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cobalt, Serum or Plasma	20-337-111404	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: