

---

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 7/29/1993  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

---

**Nickel, Urine**

ARUP test code 0025045

---

H=High, L=Low, \*=Abnormal, C=Critical

---

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-051-134806  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 3 | Printed: 2/19/2021 3:27:43 PM  
4848

Hours Collected	Random hr	
Total Volume	80 mL	
Creatinine, Urine - per volume	274 mg/dL	
Creatinine, Urine - per 24h	Not Applicable mg/d	(Ref Interval: 1000-2500)
Nickel, Urine - per volume	<b>22.2 ug/L H</b>	<b>(Ref Interval: 0.0-10.4)</b>
<p>TEST INFORMATION: Nickel, Urine</p> <p>Measurement of nickel is not recommended in asymptomatic individuals or in individuals with a low likelihood of exposure. Elevations in nickel urine should be interpreted with caution in individuals with no exposure risks, and may indicate contamination of the specimen.</p> <p>Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS</p>		
Nickel, Urine - per 24h	Not Applicable ug/d	(Ref Interval: 0.0-14.9)
Nickel, Urine - ratio to CRT	8.1 ug/g CRT	(Ref Interval: 0.0-9.9)

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-051-134806  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 3 | Printed: 2/19/2021 3:27:43 PM  
4848

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hours Collected	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Total Volume	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per volume	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per 24h	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Nickel, Urine - per volume	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Nickel, Urine - per 24h	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Nickel, Urine - ratio to CRT	20-051-134806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-051-134806  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 3 of 3 | Printed: 2/19/2021 3:27:43 PM  
4848