

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/7/1983
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Lead, Urine

ARUP test code 0025060

Hours Collected	24 hr	Per 24h calculations are provided to aid interpretation for collections with a duration of 24 hours and an average daily urine volume. For specimens with notable deviations in collection time or volume, ratios of analytes to a corresponding urine creatinine concentration may assist in result interpretation.	
Total Volume	2000 mL		
Creatinine, Urine - per volume	75 mg/dL		
Creatinine, Urine - per 24h	1500 mg/d	(Ref Interval: 1000-2500)	
Lead, Urine - per volume	7.0 ug/L H	(Ref Interval: 0.0-5.0) INTERPRETIVE INFORMATION: Lead, Urine Quantification of urine excretion rates before or after chelation therapy has been used as an indicator of lead exposure. Urinary excretion of >125 mg of lead per 24 hours is usually associated with related evidence of lead toxicity. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.	
Lead, Urine - per 24h	14.0 ug/d H	(Ref Interval: 0.0-8.1)	
Lead, Urine - ratio to CRT	9.3 ug/g CRT H	(Ref Interval: 0.0-5.0)	

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hours Collected	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Total Volume	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per volume	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per 24h	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Lead, Urine - per volume	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Lead, Urine - per 24h	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Lead, Urine - ratio to CRT	21-110-120391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-110-120391
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 4/22/2021 10:17:58 AM
4848