

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	8/6/1978
Gender:	Male
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Hours Collected	24 hr Per 24h calculations are provided to aid interpretation for collections with a duration of 24 hours and an average daily urine volume. For specimens with notable deviations in collection time or volume, ratios of analytes to a corresponding urine creatinine concentration may assist in result interpretation.			
Total Volume	2500 mL			
Creatinine, Urine - per volume	100 mg/dL			
Creatinine, Urine - per 24h	2500 mg/d (Ref Interval: 1000-2500)			
Selenium, Urine - per volume	45.0 ug/L H (Ref Interval: 12.0-40.0) TEST INFORMATION: Selenjum. Urine			
	Urine selenium levels can be used to assess nutritional status and monitor excretion. Selenium deficiency can occur endemically or as a result of sustained TPN or restricted diets and has been associated with cardiomyopathy and may exacerbate hypothyroidism. Selenium toxicity is relatively rare. Excess intake of selenium can result in symptoms consistent with selenosis and include gastrointestinal upset, hair loss, white blotchy nails, and mild nerve damage.			
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.			
Selenium, Urine - per 24h	112.5 ug/d H (Ref Interval: 12.0-52.6)			

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director



Selenium, Urine - ratio to CRT

45.0 ug/g CRT H (Ref Interval: 10.0-35.0)

VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
Hours Collected	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Total Volume	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Creatinine, Urine - per volume	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Creatinine, Urine - per 24h	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Selenium, Urine - per volume	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Selenium, Urine - per 24h	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Selenium, Urine - ratio to CRT	22-259-101637	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director