

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/5/1951
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

ADAMTS13 Activity

ARUP test code 0030056

ADAMTS13 Activity

70 % (Ref Interval: >=61)

INTERPRETIVE INFORMATION: ADAMTS13 Activity

ADAMTS13 levels of less than 10 percent may be associated with either inherited (Upshaw-Schulman Syndrome) or acquired thrombotic thrombocytopenic purpura (TTP).

A variety of medical conditions may result in a mild to moderate deficiency of ADAMTS13 activity. Recent plasma exchange therapy may raise the observed ADAMTS13 activity.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
ADAMTS13 Activity	22-188-132825	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: