

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 3/26/1959  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Hexagonal Phospholipid Neutralization**

ARUP test code 0030064

Hexagonal Phospholipid Neutral

**Positive \* (Ref Interval: Negative)**

Lupus anticoagulant detected in the hexagonal phase phospholipid neutralization assay.

False positive results may be seen in the presence of high concentrations of anticoagulant medications or with specific factor inhibitors.

Testing on two or more occasions at least 12 weeks apart is recommended to confirm persistently positive results (J Thromb Haemost 2006;4:295-306).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hexagonal Phospholipid Neutral	24-061-139348	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: