

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/11/1975
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hexagonal Phospholipid Neutralization

ARUP test code 0030064

Hexagonal Phospholipid Neutral

Positive * (Ref Interval: Negative)

Lupus anticoagulant detected in the hexagonal phase phospholipid neutralization assay.

False positive results may be seen in the presence of high concentrations of anticoagulant medications or with specific factor inhibitors.

Testing on two or more occasions at least 12 weeks apart is recommended to confirm persistently positive results (J Thromb Haemost 2006;4:295-306).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hexagonal Phospholipid Neutral	22-075-141197	3/16/2022 12:18:00 PM	3/20/2022 7:37:13 PM	3/21/2022 11:19:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-075-141197
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 8/4/2022 7:33:55 AM