

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/1/1954  
**Sex:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Fibrinogen Panel**

ARUP test code 0030137

Fibrinogen	281 mg/dL	(Ref Interval: 150-430)
Fibrinogen Ag	214 mg/dL	(Ref Interval: 149-353)
Fibrinogen Ratio Ag/Functional	0.76 ratio	(Ref Interval: 0.59-1.23)

INTERPRETIVE INFORMATION: Fibrinogen Antigen/Functional Ratio  
A ratio of greater than 1.23 is suggestive of a dysfibrinogenemia.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Fibrinogen	21-008-147768	1/8/2021 11:15:00 AM	1/10/2021 11:18:59 PM	1/11/2021 7:59:00 PM
Fibrinogen Ag	21-008-147768	1/8/2021 11:15:00 AM	1/10/2021 11:18:59 PM	1/12/2021 4:22:00 PM
Fibrinogen Ratio Ag/Functional	21-008-147768	1/8/2021 11:15:00 AM	1/10/2021 11:18:59 PM	1/12/2021 4:22:00 PM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 21-008-147768  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 8/4/2022 7:36:04 AM