

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 7/24/1989
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Lupus Anticoagulant Reflexive Panel

ARUP test code 0030181

Prothrombin Time **11.9 sec L** (Ref Interval: 12.0-15.5)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

dRVVT Screen	31 sec L	(Ref Interval: 33-44)
dRVVT 1:1 Mix	Not Applicable sec	(Ref Interval: 33-44)
dRVVT Confirmation	Not Applicable ratio	(Ref Interval: Negative)
PTT-LA Screen (PTT-D)	33 sec	(Ref Interval: 32-48)
Thrombin Time	Not Applicable sec	(Ref Interval: 14.7-19.5)
Reptilase Time	Not Applicable sec	(Ref Interval: <=21.9)
PTT-D Heparin Neutralized	Not Applicable sec	(Ref Interval: 32-48)
PTT-D 1:1 Mix	Not Applicable sec	(Ref Interval: 32-48)
Platelet Neutralization (PTT-D, Confirm)	Not Applicable	(Ref Interval: Negative)
Hexagonal Phospholipid Neutral Reflex	Not Applicable	(Ref Interval: Negative)
Lupus Anticoagulant Interpretation	See Note	

Lupus anticoagulant not detected.
The phospholipid-dependent screening tests (PTT, DRVVT) are not prolonged.

Lupus anticoagulant antibodies are heterogeneous and antibody titers fluctuate over time. Laboratory tests used to identify lupus anticoagulants demonstrate variable sensitivity. If there is strong clinical suspicion for antiphospholipid antibody syndrome (APS), consider testing for cardiolipin and beta-2 glycoprotein 1 antibodies (IgG and IgM) if this testing has not already been performed.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-092-103289
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 3 | Printed: 11/24/2020 8:31:58 AM
4848

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Prothrombin Time	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
dRVVT Screen	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
dRVVT 1:1 Mix	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
dRVVT Confirmation	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
PTT-LA Screen (PTT-D)	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 02 00 PM
Thrombin Time	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
Reptilase Time	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
PTT-D Heparin Neutralized	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
PTT-D 1:1 Mix	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
Platelet Neutralization (PTT-D, Confirm)	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
Hexagonal Phospholipid Neutral Reflex	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 03:00 PM
Lupus Anticoagulant Interpretation	20-092-103289	4/1/2020 10:31:00 AM	4/1/2020 4:42 28 PM	4/2/2020 3 02 00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-092-103289
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 11/24/2020 8:31:58 AM
4848