

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 3/12/1990 **Gender:** Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Protein C and S Panel, Functional

ARUP test code 0030182

Protein C Functional

32 % L

(Ref Interval: 83-168)

INTERPRETIVE INFORMATION: Protein C, Functional

Patients on warfarin may have decreased protein C values. Patients should be off warfarin therapy for two weeks for accurate measurement of protein C levels. Artificially increased functional protein C values may be due to heparin therapy or the presence of direct thrombin inhibitors or factor Xa inhibitors.

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Protein S Functional

35 % L

(Ref Interval: 57-131)

INTERPRETIVE INFORMATION: Protein S, Functional

Patients on warfarin may have decreased functional protein S values. Patients should be off warfarin therapy for two weeks for accurate measurement of functional protein S. Artificially increased functional protein S values may be due to heparin therapy or the presence of direct thrombin inhibitors or factor Xa inhibitors.

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Protein C Functional	23-341-148559	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Protein S Functional	23-341-148559	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical