

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## Patient: Patient, Example

11/27/1980
Female
01234567890ABCD, 012345
01234567890ABCD
00/00/0000 00:00

## APC Resistance Profile with Reflex to Factor V Leiden

ARUP test code 0030192

APC Resistance	8.90 (Ref Interval: >=2.00) TEST INTERPRETATION: APC Resistance Profile		
	Ratios less than 2.00 sugges factor V deficient plasma; t nonfactor V mutation will no deficiency or presence of di cause an unreliable ratio.	st APC resistance. This method uses cherefore, APC resistance due to a ot be detected. Extreme factor V irect oral anticoagulants (DOACs) may	
FACV REF Specimen	Whole Blood		
Factor V Leiden by PCR	Heterozygous *		

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:



For interface testing only. Please disregard. Indication for testing: Assess genetic risk for thrombosis.

HETEROZYGOUS: One copy of the factor V Leiden variant, c.1601G>A; p.Arg534Gln, was detected. This is associated with activated protein C resistance and a four to eight fold increased risk for venous thrombosis in comparison to individuals without this variant. Genetic consultation is recommended.

BACKGROUND INFORMATION: Factor V Leiden (F5) R506Q Mutation

CHARACTERISTICS: Venous thromboembolism (VTE) is multifactorial caused by a combination of genetic and environmental factors. The Factor V Leiden (FVL) variant is the most common cause of inherited VTEs, accounting for over 90 percent of activated protein C (APC) resistance. Because the FVL variant eliminates the APC cleavage site, factor V is inactivated slower, thus persisting longer in blood circulation, leading to more thrombin production. Other genetic risk factors for VTE include, male sex and variants in antithrombin, protein C, protein S, or factor XIII. Non-genetic risk factors include. age. smoking. XIII. Non-genetic risk factors include, age, smoking, prolonged immobilization, malignant neoplasms, surgery, pregnancy, oral contraceptives, estrogen replacement therapy, tamoxifen and raloxifene therapy INCIDENCE OF FACTOR V LEIDEN VARIANT: Approximately 5 percent of Caucasians, 2 percent of Hispanics, 1 percent of African Americans and 0.5 percent of Asians are heterozygous; homozygosity occurs in 1 in 1500 Caucasians. INHERITANCE: Semi-dominant; both heterozygotes and homozygotes are at increased risk for VTE. PENETRANCE: Lifetime risk of VTE is 10 percent for heterozygotes and 80 percent of homozygotes. CAUSE: The pathogenic gain of function in the F5 gene variant c.1601G>A (p.Arg534Gln). Legacy nomenclature: R506Q (1691G>A) CLINICAL SENSITIVITY: 20-50 percent of individuals with an isolated VTE have the FVL variant. METHODOLOGY: Polymerase chain reaction and fluorescence monitoring. ANALYTICAL SENSITIVITY AND SPECIFICITY: 99 percent. LIMITATIONS: Diagnostic errors can occur due to rare sequence variations. F5 gene mutations, other than p.Arg534Gln, will not be detected. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was

performed in a CLIA certified laboratory and is intended for

This result has been reviewed and approved by

H=High, L=Low, \*=Abnormal, C=Critical

clinical purposes.

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruptab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director Patient: Patient, Example ARUP Accession: 23-026-101508 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 2 of 3 | Printed: 2/1/2023 1:31:04 PM 4848



VERIFIED/REPORTED DATES						
Procedure	Accession	Collected	Received	Verified/Reported		
APC Resistance	23-026-101508	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		
FACV REF Specimen	23-026-101508	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		
Factor V Leiden by PCR	23-026-101508	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		

## END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director Patient: Patient, Example ARUP Accession: 23-026-101508 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 3 of 3 | Printed: 2/1/2023 1:31:04 PM 4848