

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 4/14/1936  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Prothrombin Time/International Normalized Ratio**

ARUP test code 0030224

Prothrombin Time

**129.8 C (Ref Interval: 12.0-15.5)**

Repeated and verified. <critical call> Case#\_  
Performed At: U HOSPITAL LAB (ARUP)  
UNIVERSITY HOSPITAL  
CLINICAL LABORATORY  
SALT LAKE CITY, UT 84132

International Normalized Ratio

**18.2 ratio C**

Repeated and verified. <critical call> Case#\_  
INTERPRETIVE INFORMATION: International Normalized Ratio (INR)  
INR values should only be used when evaluating patients on oral  
anticoagulant therapy.  
INR 2.0 - 3.0 : Prophylaxis of venous thromboembolism, treatment  
of venous thrombosis (following heparin therapy), prevention of  
systemic embolism (atrial fibrillation, valvular heart disease,  
bioprosthetic heart valves, acute myocardial infarction).  
INR 2.5 - 3.5 : Mechanical prosthetic heart valves, recurrent  
systemic embolism.  
Performed At: U HOSPITAL LAB (ARUP)  
UNIVERSITY HOSPITAL  
CLINICAL LABORATORY  
SALT LAKE CITY, UT 84132

INTERPRETIVE INFORMATION: International Normalized Ratio (INR)

INR values should only be used when evaluating patients on oral  
anticoagulant therapy.

INR 2.0 - 3.0 : Prophylaxis of venous thromboembolism,  
treatment of venous thrombosis (following  
heparin therapy), prevention of systemic  
embolism (atrial fibrillation, valvular  
heart disease, bioprosthetic heart valves,  
acute myocardial infarction).

INR 2.5 - 3.5 : Mechanical prosthetic heart valves,  
recurrent systemic embolism.

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Prothrombin Time	23-083-704192	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
International Normalized Ratio	23-083-704192	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-083-704192  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 4/10/2023 10:01:54 AM  
4848