

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/30/1944
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Prothrombin Time/International Normalized Ratio

ARUP test code 0030224

| | | | |
|--------------------------------|-------------------|----------|---------------------------|
| Prothrombin Time | 138.2 sec | C | (Ref Interval: 12.0-15.5) |
| International Normalized Ratio | 20.6 ratio | C | |

INTERPRETIVE INFORMATION: International Normalized Ratio (INR)
INR values should only be used when evaluating patients on oral anticoagulant therapy.

INR 2.0 - 3.0 : Prophylaxis of venous thromboembolism, treatment of venous thrombosis (following heparin therapy), prevention of systemic embolism (atrial fibrillation, valvular heart disease, bioprosthetic heart valves, acute myocardial infarction).

INR 2.5 - 3.5 : Mechanical prosthetic heart valves, recurrent systemic embolism.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|--------------------------------|---------------|----------------------|----------------------|----------------------|
| Prothrombin Time | 25-099-401574 | 4/3/2025 10:11:00 AM | 4/10/2025 6:15:43 AM | 4/10/2025 1:22:00 PM |
| International Normalized Ratio | 25-099-401574 | 4/3/2025 10:11:00 AM | 4/10/2025 6:15:43 AM | 4/10/2025 1:22:00 PM |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 25-099-401574
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 5/12/2025 9:35:38 AM