

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/9/1978
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Prothrombin Time/International Normalized Ratio

ARUP test code 0030224

Prothrombin Time 15.0 (Ref Interval: 12.0-15.5)

Performed At: U HOSPITAL LAB (ARUP)
UNIVERSITY HOSPITAL
CLINICAL LABORATORY
SALT LAKE CITY, UT 84132

International Normalized Ratio

1.2 ratio

INTERPRETIVE INFORMATION: International Normalized Ratio (INR)
INR values should only be used when evaluating patients on oral
anticoagulant therapy.
INR 2.0 - 3.0 : Prophylaxis of venous thromboembolism, treatment
of venous thrombosis (following heparin therapy), prevention of
systemic embolism (atrial fibrillation, valvular heart disease,
bioprosthetic heart valves, acute myocardial infarction).
INR 2.5 - 3.5 : Mechanical prosthetic heart valves, recurrent
systemic embolism.
Performed At: U HOSPITAL LAB (ARUP)
UNIVERSITY HOSPITAL
CLINICAL LABORATORY
SALT LAKE CITY, UT 84132

INTERPRETIVE INFORMATION: International Normalized Ratio (INR)
INR values should only be used when evaluating patients on oral
anticoagulant therapy.
INR 2.0 - 3.0 : Prophylaxis of venous thromboembolism,
treatment of venous thrombosis (following
heparin therapy), prevention of systemic
embolism (atrial fibrillation, valvular
heart disease, bioprosthetic heart valves,
acute myocardial infarction).
INR 2.5 - 3.5 : Mechanical prosthetic heart valves,
recurrent systemic embolism.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Prothrombin Time	23-090-700107	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
International Normalized Ratio	23-090-700107	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: