

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/1/1994
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Thrombin Time with Reflex to Thrombin Time 1:1 Mix

ARUP test code 0030260

Thrombin Time 15.3 sec (Ref Interval: 14.7-19.5)

Thrombin Time was not prolonged therefore no further testing will be added.

Thrombin Time, 1:1 Mix Not Applicable sec (Ref Interval: 14.7-19.5)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Thrombin Time	22-075-147306	3/16/2022 11:32:00 AM	3/22/2022 8:15:31 AM	3/22/2022 11:39:00 AM
Thrombin Time, 1:1 Mix	22-075-147306	3/16/2022 11:32:00 AM	3/22/2022 8:15:31 AM	3/22/2022 11:39:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-075-147306
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 8/4/2022 7:37:07 AM