

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/25/2022
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Aneuploidy Panel by FISH

ARUP test code 0040208

Aneuploidy Panel by FISH

See Note (Ref Interval: Normal)

Test Performed: Aneuploidy Panel by FISH (FISHANEU)
Specimen Type: Peripheral blood
Indication for Testing: Ambiguous Genitalia

RESULT
Normal FISH Result (Female)

INTERPRETATION
There was no evidence for aneuploidy of chromosomes 13, 18, 21, X and Y in 200 interphase cells scored.

Aneuploidy of other chromosomes, structural abnormalities, and mosaicism have not been ruled out by this analysis. If this patient is symptomatic, additional testing by chromosome analysis or genomic microarray analysis and/or a genetics consult is recommended. If additional testing is being performed, results will be reported separately.

This analysis was performed with chromosome enumeration probes for 13, 18, 21, X and Y using the Aneuvysion probe kit (Abbott Molecular).

Cytogenomic Nomenclature (ISCN):
nuc ish(DXZ1x2,DYZ3x0,D18Z1x2),(RB1,D21S259/D21S341/D21S342)x2

This result has been reviewed and approved by [REDACTED]

INTERPRETIVE INFORMATION: Aneuploidy Panel by FISH

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Counseling and informed consent are recommended for genetic testing. Consent forms are available online.

EER Aneuploidy Panel by FISH

See Note

Authorized individuals can access the ARUP Enhanced Report using the following link:

[REDACTED]

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Aneuploidy Panel by FISH	22-301-402640	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
EER Aneuploidy Panel by FISH	22-301-402640	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-301-402640
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 11/2/2022 12:27:45 PM
4848