



Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 5/10/1961
Gender: Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

ERBB2 (HER2/neu) (HercepTest) by Immunohistochemistry, Tissue with Reflex to FISH if 2+ARUP test code 0049178

ERBB2(HercepTest)Rflx to FISH if 2+

3+ Positive

Controls were run and performed as expected. This result has been reviewed and approved by Ana Lucia Ruano, M.D. 2000 Circle of Hope, RM 3100 Salt Lake City, UT 84112

INTERPRETIVE INFORMATION: HercepTest

Breast Tumors:

The result of the HercepTest by Dako (Agilent) is interpreted in a semi-quantitative manner. Test is FDA-approved for breast and gastric cancer only, and performed on formalin-fixed, paraffin-embedded tissue. Antibody clone is polyclonal and uses a proprietary detection system.

ARUP Laboratories uses the 2018 ASCO/CAP guidelines for interpretation of ERBB2 (HER2) protein expression in breast cancers fixed in formalin for 6-72 hours with a cold ischemic time of less than 1 hour. Tissue not meeting these requirements or tissue placed in decalcification solution should be interpreted with caution due to the likelihood of false negative results.

Positive cases are those with uniform, intense, complete circumferential membrane staining of more than 10 percent of invasive tumor cells (score 3+). Negative cases are defined as a) no staining observed, or incomplete membrane staining that is faint or barely perceptible and is less than or equal to 10 percent of the invasive tumor cells (score 0), or b) incomplete membrane staining that is faint or barely perceptible and is greater than 10 percent of the invasive tumor cells (score 1+). Equivocal cases are those with weak to moderate complete membrane staining observed in greater than 10 percent of tumor cells (score 2+). Other rare staining patterns may be considered equivocal. It is recommended that an Equivocal result be reflexed to another method of testing.

For more information refer to the ASCO/CAP guidelines found at www.jco.org.

Controls stained appropriately.


Percent of Cells/Circumferential

85

H=High, L=Low, *=Abnormal, C=Critical

Patient: Patient, Example ARUP Accession: 23-347-153381 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 1 of 3 | Printed: 1/3/2024 6:14:33 PM

4848



ARFP	8

Intensity of Staining	Strong
Homogenous Pattern	Linear
Fixative Used	Formalin
Time from Bx to Fixative	Not Provided
Duration of Fixation	Not Provided
Sample Adequacy	Adequate
HER2 Reference Number	SX23-10156 A1
HER2 Tissue Source	R Breast

H=High, L=Low, *=Abnormal, C=Critical



VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
ERBB2(HercepTest)Rflx to FISH if 2+	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Percent of Cells/Circumferential	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Intensity of Staining	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Homogenous Pattern	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Fixative Used	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Time from Bx to Fixative	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Duration of Fixation	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Sample Adequacy	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
HER2 Reference Number	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
HER2 Tissue Source	23-347-153381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

4848