

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 9/23/1945  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**C-1-Esterase Inhibitor Panel**

ARUP test code 0050139

**Complement Component 4**      **7 mg/dL**    **L**      **(Ref Interval: 10-40)**  
REFERENCE INTERVAL: Complement Component 4  
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

**C-1-Esterase Inhibitor**      **11 mg/dL**    **L**      **(Ref Interval: 21-39)**

**C-1-Esterase Inhib. Functional**      **20 %**    **L**      **(Ref Interval: >=41)**  
INTERPRETIVE INFORMATION: C-1-Esterase Inhib. Functional  
68% or greater ..... Normal  
41% - 67% ..... Indeterminate  
40% or less ..... Abnormal

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Complement Component 4	19-284-117145	10/11/2019 3:16:00 PM	10/11/2019 3:20:13 PM	10/11/2019 3:21:00 PM
C-1-Esterase Inhibitor	19-284-117145	10/11/2019 3:16:00 PM	10/11/2019 3:20:13 PM	10/11/2019 3:21:00 PM
C-1-Esterase Inhib. Functional	19-284-117145	10/11/2019 3:16:00 PM	10/11/2019 3:20:13 PM	10/11/2019 3:21:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: