

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: Unknown
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Complement Component 2

ARUP test code 0050148

Complement Component 2

<0.7 mg/dL L (Ref Interval: 1.6-4.0)

INTERPRETIVE INFORMATION: Complement Component 2

Decreased C2 levels may be associated with increased susceptibility to infection (especially pneumococcal infections), systemic lupus erythematosus-like disease, rashes, arthritis and nephritis, and with C1-Esterase deficiency. Increased C2 levels are associated with the acute phase response.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Complement Component 2	23-326-402240	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: