

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	6/8/1959
Gender:	Male
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Cytomegalovirus Antibody, IgG ARUP test code 0050165

CMV Antibody IgG	•	H (Ref Interval: <=0.70) INFORMATION: Cytomegalovirus Antibody, IgG	
		Indeterminate-Repeat testing in 10-14 days may be helpful.	
	In immunocompromised patients, CMV serology (IgG or IgM antibody titers) may not be reliable and may be misleading in the diagnosis of acute or reactivation CMV disease. The preferred method for diagnosis is culture of virus and/or demonstration of viral antigen in peripheral white cells (buffy coat), bronchoalveolar lavage (BAL) cells, or tissue biopsies.		
	This test should not be used associated re-entry protocol Tissues and Cellular and Tis	s. or for screening Human Cell.	
	The best evidence for curren on two appropriately timed s in the same laboratory at the	t infection is a significant change pecimens, where both tests are done e same time.	

VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
CMV Antibody IgG	24-089-100265	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: