

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 10/2/1999

Male Gender:

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Cytomegalovirus Antibody, IgG

ARUP test code 0050165

CMV Antibody IgG

0.58 U/mL (Ref Interval: <=0.70)

INTERPRETIVE INFORMATION: Cytomegalovirus Antibody, IgG

0.59 U/mL or less..... Not Detected

0.6 - 0.69 U/mL..... Indeterminate-Repeat testing in

10-14 days may be helpful.

0.70 U/mL or greater..... Detected

In immunocompromised patients, CMV serology (IgG or IgM antibody titers) may not be reliable and may be misleading in the diagnosis of acute or reactivation CMV disease. The preferred method for diagnosis is culture of virus and/or demonstration of viral antigen in peripheral white cells (buffy coat), bronchoalveolar lavage (BAL) cells, or tissue biopsies.

This test should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

| VERIFIED/REPORTED DATES | | | | |
|-------------------------|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| CMV Antibody IgG | 24-099-112179 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical