

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/26/1970  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**C-Reactive Protein, High Sensitivity**

ARUP test code 0050182

CRP, High Sensitivity

**4.3 mg/L H (Ref Interval: <=3.0)**

INTERPRETIVE INFORMATION: CRP, High Sensitivity

Patients with higher hs-CRP concentrations are more likely to develop stroke, myocardial infarction, and severe peripheral vascular disease.

CRP is a nonspecific marker of inflammation and a variety of conditions other than atherosclerosis may cause elevated concentrations. If the first result is greater than 3.0 mg/L, recommend repeating test at least 2 weeks later in a metabolically stable state, free of infection or acute illness. The lower of the two results should be used to determine the patient's risk.

Significantly decreased CRP values may result in specimens from patients treated with carboxypenicillins.

hs-CRP results are used to assign risk as follows :  
less than 1.0 mg/L ..... low risk  
1.0 - 3.0 mg/L ..... average risk  
greater than 3.0 mg/L ... high risk

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
CRP, High Sensitivity	23-272-114444	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: