

Client: Example Client ABC123  
 123 Test Drive  
 Salt Lake City, UT 84108  
 UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/2/1994  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Herpes Simplex Virus Type 1 Glycoprotein G-Specific Antibody, IgG by CIA**

ARUP test code 0050292

HSV 1 Glycoprotein G Ab, IgG

<0.01 IV (Ref Interval: <=0.89)

REFERENCE INTERVAL: HSV 1 Glycoprotein G Ab, IgG

- 0.89 IV or less ..... Negative - No significant level of detectable IgG antibody to HSV type 1 glycoprotein G.
- 0.90 - 1.09 IV ..... Equivocal - Questionable presence of IgG antibody to HSV type 1 glycoprotein G. Repeat testing in 10 - 14 days may be helpful.
- 1.10 IV or greater ... Positive - IgG antibody to HSV type 1 glycoprotein G detected, which may indicate a current or past HSV infection.

Individuals infected with HSV may not exhibit detectable IgG antibody to type-specific HSV antigens 1 and 2 in early stages of infection. Detection of antibody presence in these cases may only be possible using a non-type specific screening test.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HSV 1 Glycoprotein G Ab, IgG	20-048-112897	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical