

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/28/1976
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

C1q Binding Assay

ARUP test code 0050301

C1q Binding Assay

1.9 ug Eq/mL (Ref Interval: 0.0-3.9)

INTERPRETIVE INFORMATION: C1Q Binding Assay

Less than or equal to 3.9 ug Eq/mL is considered negative for circulating complement binding immune complexes.

Circulating immune complexes may be found without any evident pathology and positive results do not necessarily implicate the immune complex in a disease process.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
C1q Binding Assay	19-228-129108	8/16/2019 9:38:00 AM	8/18/2019 3:16:34 PM	8/19/2019 6:59:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-228-129108
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/7/2020 3:18:30 PM
4848