

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 5/7/1988  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Herpes Simplex Virus Type 1 and/or 2 Antibodies, IgG, CSF**

ARUP test code 0050394

HSV 1/2 Antibody Screen IgG, CSF

**1.72 IV H (Ref Interval: <=0.89)**

INTERPRETIVE INFORMATION: Herpes Simplex Virus Type 1 and/or 2  
Antibodies, IgG CSF

0.89 IV or Less ..... Negative: No significant  
level of detectable HSV IgG  
antibody.

0.90 - 1.09 IV ..... Equivocal: Questionable  
presence of IgG antibodies.  
Repeat testing in 10-14 days  
may be helpful.

1.10 IV or Greater ..... Positive: IgG antibody to HSV  
detected, which may indicate  
a current or past HSV  
infection.

The detection of antibodies to herpes simplex virus in CSF may  
indicate central nervous system infection. However,  
consideration must be given to possible contamination by blood  
or transfer of serum antibodies across the blood-brain barrier.

Fourfold or greater rise in CSF antibodies to herpes on  
specimens at least 4 weeks apart are found in 74-94 % of  
patients with herpes encephalitis. Specificity of the test based  
on a single CSF testing is not established. Presently PCR is the  
primary means of establishing a diagnosis of herpes encephalitis.

This test was developed and its performance characteristics  
determined by ARUP Laboratories. It has not been cleared or  
approved by the US Food and Drug Administration. This test was  
performed in a CLIA certified laboratory and is intended for  
clinical purposes.

**H=High, L=Low, \*=Abnormal, C=Critical**



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
HSV 1/2 Antibody Screen IgG, CSF	22-227-123373	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical