

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/3/1966  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Mycoplasma pneumoniae Antibody, IgG**

ARUP test code 0050397

Mycoplasma Pneumoniae Antibody IgG

**1.74 U/L H (Ref Interval: <=0.09)**

INTERPRETIVE INFORMATION: Mycoplasma pneumoniae Ab, IgG  
0.09 U/L or less ..... Negative  
0.10 - 0.32 U/L ..... Equivocal  
0.33 U/L or greater ..... Positive

INTERPRETIVE DATA: Over 50% of healthy adults have a relatively high background of specific M. pneumoniae IgG antibodies in their sera, probably because of past M. pneumoniae infections. Therefore, paired sera obtained with a time interval of 1 to 3 weeks are highly recommended in adults to confirm reinfection by M. pneumoniae, which is demonstrated by a significant change in IgG antibodies. A significant change is indicated if one sample is above 0.32 U/L and the other is below 0.20 U/L.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Mycoplasma Pneumoniae Antibody IgG	20-073-132158	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical