

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## **Patient: Patient, Example**

**DOB** 6/23/1977 **Gender:** Male

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## Mycoplasma pneumoniae Antibodies, IgG & IgM

ARUP test code 0050399

Mycoplasma Pneumoniae Antibody IgM

1.26 U/L H (Ref Interval: <=0.76)

dilidit of M. phedimontale specific IgM antibody detected. However, low levels of IgM antibodies may occasionally persist for more than 12 months post-infection.

Mycoplasma Pneumoniae Antibody IgG

1.55 U/L H (Ref Interval: <=0.09)

INTERPRETIVE INFORMATION: Mycoplasma pneumoniae Ab, IgG 0.09 U/L or less ....... Negative 0.10 - 0.32 U/L ..... Equivocal 0.33 U/L or greater ..... Positive

INTERPRETIVE DATA: Over 50% of healthy adults have a relatively high background of specific M. pneumoniae IgG antibodies in their sera, probably because of past M. pneumoniae infections. Therefore, paired sera obtained with a time interval of 1 to 3 weeks are highly recommended in adults to confirm reinfection by M. pneumoniae, which is demonstrated by a significant change in IgG antibodies. A significant change is indicated if one sample is above 0.32 U/L and the other is below 0.20 U/L.

H=High, L=Low, \*=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Mycoplasma Pneumoniae Antibody IgM	24-050-138774	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Mycoplasma Pneumoniae Antibody IgG	24-050-138774	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical