

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/29/1999
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Tissue Transglutaminase (tTG) Antibody, IgA with Reflex to Endomysial Antibody, IgA by IFA
ARUP test code 0050734

Tissue Transglutaminase (tTG) Ab, IgA <2 U/mL (Ref Interval: 0-3)

No further testing to follow.

INTERPRETIVE INFORMATION: Tissue Transglutaminase (tTG) Antibody, IgA

3 U/mL or less: Negative
4-10 U/mL: Weak Positive
11 U/mL or greater: Positive

Presence of the tissue transglutaminase (tTG) IgA antibody is associated with glutensensitive enteropathies such as celiac disease and dermatitis herpetiformis. tTG IgA antibody concentrations greater than 40 U/mL usually correlate with results of duodenal biopsies consistent with a diagnosis of celiac disease. For antibody concentrations greater or equal to 4 U/mL but less than or equal to 40 U/mL, additional testing for endomysial (EMA) IgA concentrations may improve the positive predictive value for disease.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Tissue Transglutaminase (tTG) Ab, IgA	21-232-132871	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical